

REFERÊNCIAS

- [Altan, 1999] Altan, T.; Oh, S.; Gegel, H. *Conformação de Metais: Fundamentos e Aplicações*. São Paulo: EESC/USP, 1999. 366p.
- [ASTM D 3418 – 03, 2003] ASTM D 3418 – 03 – Standard Test Method for Transition Temperatures and Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry. American Society for Testing and Materials – 7p.
- [ASTM E 384 – 99, 1999] ASTM E 384 – 99 – Standard Test Method for Microindentation Hardness of Materials. American Society for Testing and Materials – 24p.
- [ASTM E 8M – 00b, 2000] ASTM E 8M – 00b – Standard Test Methods for Tension Testing of Metallic Materials [Metric]. American Society for Testing and Materials – 22p.
- [ASTM E 9 – 89a, 2000] ASTM E 9 – 89a (Reapproved 2000) - Standard Test Methods of Compression Testing of Metallic Materials at Room Temperature. American Society for Testing and Materials – 8p.
- [Bram, 2002] Bram, M.; Ahmad-Khanlou, A.; Heckmann, A.; Fuchs, B.; Buchkremer, H. P.; Stöver, D. Powder Metallurgical Fabrication Processes for NiTi Shape Memory Alloy Parts. *Materials science and Engineering*. v. A337. 2002. 254-263p.
- [Button, 2004] Button, S. T. *Trefilação*. São Paulo: ABM, 2004. 63p. (Caderno

Técnico).

- [Chiaverini, 2001] Chiaverini, V. *Metalurgia do Pó: Técnica e Produtos*. São Paulo: Associação Brasileira de Metalurgia e Materiais, 2001. 326p.
- [Chikkamaranahalli, 2005] Chikkamaranahalli, S.; Vallance, R. R.; Khan, A. Precision Instrument for Characterizing Shape Memory Alloy Wires in Bias Spring Actuation. *Review of Scientific Instruments*. v. 76. 2005. 0651051-0651055p.
- [Duerig, 1990] Duerig, T. W.; Melton, K. N.; Stöckel, D.; Wayman, C. M. *Engineering Aspects of Shape Memory Alloys*. London: Butterworth-Heinemann, 1990. 499p.
- [Duerig, 1999] Duerig, T.; Pelton, A.; Stöckel, D. An Overview of Nitinol Medical Applications. *Materials Science and Engineering*. v. A273-275. 1999. 149-160p.
- [Funakubo, 1987] Funakubo, H. *Shape Memory Alloys*. New York: Gordon & Bleach, 1987.
- [Greiner, 2005] Greiner, C.; Oppenheimer, S. M.; Dunand, D. C. High Strength, Low Stiffness, Porous NiTi with Superelastic Properties. *Acta Biomaterialia*. v. I. 2005. 705- 716p.
- [Johnson, 1971] Johnson, W.; Mellor, P. B. *Plasticity for Mechanical Engineers*. London: Van Nostrand Reinhold, 1971. 412p.
- [Krone, 2005] Krone, L.; Mentz, J.; Bram, M.; Buchkremer, H. P.; Stöver, D. The Potential of Powder Metallurgy for the Fabrication of Biomaterials on the Basis of Nickel-Titanium: A Case Study with a Staple Showing Shape Memory Behaviour. *Advanced Engineering Materials*. v. 7. 2005. 613-619p.
- [Locci, 2003] Locci, A. M.; Orrù, R.; Cao, G.; Munir, Z. A. Field-Activated Pressure-Assisted Synthesis of NiTi. *Intermetallics*. v. 11. 2003. 555-571p.
- [McNeese, 2000] McNeese, M. D.; Lagoudas, D. C.; Pollock, T. C. Processing of TiNi from Elemental Powders by Hot Isostatic Pressing. *Materials Science and Engineering*. v. A280. 2000. 334-348p.
- [Müller, 2001] Müller, K. Extrusion of Nickel-Titanium Alloys Nitinol to Hollow Shapes. *Journal of Materials Processing Technology*. v. 111. 2001. 122-126p.
- [Nyberg, 2005] Nyberg, E.; Miller, M.; Simmons, K.; Weil, K. S. Microstructure and Mechanical Properties of Titanium Components Fabricated by a New Powder Injection Molding Technique. *Materials Science and Engineering*. v. C25. 2005. 336-342p.
- [Otsuka, 1999] Otsuka, K.; Ren, X. Recent Developments in the Research of Shape Memory Alloys. *Intermetallics*. v. 7. 1999. 511-528p.
- [Poncet, 2005] Poncet, P. P. Nitinol Medical Device Design Considerations. Disponível em <http://www.memry.com/technology/pdfs/Niti_devicedesign.pdf>. Acesso em 13 de dezembro de 2005.

- [Robertson, 2003] Robertson, S. W.; Imbeni, V.; Notkina, E.; Wenk, H. R.; Ritchie, R. O. Texture in Tubes and Plates of the Superelastic/Shape-Memory Alloy Nitinol. In: Shape Memory and Superelastic Technologies Conference. 2003. California. Proceedings of the Shape Memory and Superelastic Technologies Conference. California: Memlo Park. 2003.
- [Ryhänen, 1999] Ryhänen, J. Biocompatibility Evaluation of Nickel-Titanium Shape Memory Metal Alloy. Oulu, 1999. 118p. Dissertação de mestrado - Faculty of medicine, Department of Surgery of Oulu University.
- [Schaeffer, 2004] Schaeffer, L. Conformação Mecânica. Porto Alegre: Imprensa Livre, 2004. 167p.
- [Schüller, 2004] Schüller, E.; Bram, M.; Buchkremer, H. P.; Stöver, D. Phase Transformation Temperatures for NiTi Alloys Prepared by Powder Metallurgical Processes. Materials Science and Engineering. v. A378. 2004. 165-169p.
- [Shaw, 1995] Shaw, J. A.; Kyriakides, S. Thermomechanical Aspects of NiTi. Journal of the Mechanics and Physics of Solids. v. 48. 1995. 1243-1281p.
- [Souza, 1982] Souza, S. A. Ensaios Mecânicos de Materiais Metálicos: Fundamentos Teóricos e Práticos. São Paulo: Edgard Blücher, 1982. 286p.
- [Talbert, 1996] Talbert, S. H.; Avitzur, B. Elementary Mechanics of Plastic Flow in Metal Forming. England: West Sussex, 1996. 388p.
- [Talkingelectronics, 2006] <<http://www.talkingelectronics.com/projects/nitinol/nitinol-1.html>>. Acesso em 29 de maio de 2006.
- [Uchil, 1998] Uchil, J.; Mohanchandra, K. P.; Mahesh, K. K.; Kumara, K. G. Thermal and Electrical Characterization of R-Phase Dependence on Heat-Treat Temperature in Nitinol. Physica B. v. 253. 1998. 83-89p.
- [Vearick, 2006 A] Vearick, S. B. Confecção e Avaliação de Órtese de Nitinol Auto-Expansível com Aplicação em Vias Aéreas. Porto Alegre, 2006. 44p. Dissertação de mestrado – Escola de Engenharia, Programa de Pós-Graduação em Engenharia de Minas, Metalúrgica e Materiais da Universidade Federal do Rio Grande do Sul.
- [Vearick, 2006 B] Vearick, S. B.; Michelon, M. D. O.; Milke, E. C.; Schaeffer, L. Obtenção da Liga de Nitinol por Metalurgia do Pó Convencional. In: 61º Congresso Anual da ABM. 2006. Rio de Janeiro. Anais do 61º Congresso Anual da ABM. Rio de Janeiro: Rio de Janeiro. 2006.
- [Wasilevski, 1975] Wasilevski, R. J. On the Nature of the Martensitic Transformation. Metallurgical Transactions. v. 6A. 1975. 1405-1418p.
- [Wu, 2000] Wu, S. K.; Lin, H. C. Recent Development of Ni-Ti-Based Shape Memory Alloys in Twain. Materials Chemistry and Physics. 2000. 81-92p.
- [Wu, 2001] Wu, M. H. Fabrication of Nitinol Materials and Components. In: Shape Memory and Superelastic Technologies. 2001. Kunming. Proceedings of the

International Conference on Shape Memory and Superelastic Technologies. Kunming: 2001.

- [Yokoyama, 2005] Yokoyama, K.; Kaneko, K.; Ogawa, T.; Moriyama, K.; Asaoka, K.; Sakai, J. Hydrogen Embrittlement of Work-Hardened Ni-Ti Alloy in Fluoride Solutions. *Biomaterials*. v. 26. 2005. 101-108p.
- [Yoshida, 2001] Yoshida, K.; Watanabe, M.; Ishikawa, H. Drawing of a Ni-Ti Shape-Memory-Alloy Fine Tubes Used in Medical Tests. *Journal of Materials Processing Technology*. v. 118. 2001. 251-255p.
- [Zhang, 1992] Zhang, N.; Khosrovabadi, P. B.; Lindenhovius, J. H.; Kolster, B. H. TiNi Shape Memory Alloys Prepared by Normal Sintering. *Materials Science and Engineering*. v. A150. 1992. 263-270p.